



TCCA AND FAA APPROVED

AS350


- 4 Install locations available: left/right side tray mount, window pillar and free space on left of I-panel (tray mount displayed)
- Fully adjustable
- Milled aircraft aluminum PIVOT mounting plate with reinforced backer plate
- Charging port access




















PIVOT

TCCA AND FAA APPROVED

BELL 212/412

- Installs on door pillar
- Fully adjustable
- Milled aircraft aluminum PIVOT mounting plate with reinforced backer plate
- Charging port access









Left Side

Right Side









TCCA AND FAA APPROVED

BELL 205/212/214/412

- Installs on left/right door or window pillar
- Fully adjustable
- Milled aircraft aluminum PIVOT mounting plate with reinforced backer plate
- Charging port access











PIVOT

TCCA AND FAA APPROVED

BELL 206

- Mounts on center window pillar
- Fully adjustable
- Milled aircraft aluminum PIVOT mounting plate with reinforced backer plate
- Charging port access










PIVOT


TCCA AND FAA APPROVED



S-76

Product Description:

- Mounts on left and/or right side Glare shield in place of chart holder
- Fully adjustable
- Milled aircraft aluminum PIVOT mounting plate with reinforced backer plate
- Charging port access



BELL 407

- Installs on center window pillar
- Fully adjustable
- Milled aircraft aluminum PIVOT mounting plate with reinforced backer plate
- Charging port access



